

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|---------------------|
| L1 | 2 | "20040085591" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L2 | 292 | (recombin\$3 restor\$3) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L3 | 81 | (recombin\$3 restor\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L4 | 2 | "20070279656" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L5 | 219 | (recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L6 | 451 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L7 | 2 | "20070279657" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L8 | 278 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|-----|-------|---|--|----|----|---------------------|
| L9 | 4 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color near2 level | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L10 | 241 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) near4 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L11 | 14 | "6650773" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L12 | 20883 | (row and column) with (array matrix matrice) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L13 | 2241 | (row and column) with (array matrix matrice) with bit and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L14 | 32 | (decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L15 | 69 | (decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L16 | 240 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L17 | 18 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|-----|------|---|--|----|----|---------------------|
| L18 | 39 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L19 | 2037 | (matrix matrice) near5 (correspond\$3 respect \$3) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L20 | 1215 | (matrix matrice) near5 (correspond\$3 respect \$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L21 | 26 | (matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half ton\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L22 | 6347 | (matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L23 | 1856 | (matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L24 | 2 | "20040085591" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L25 | 292 | (recombin\$3 restor\$3) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L26 | 81 | (recombin\$3 restor\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L27 | 2 | "20070279656" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|-----|-------|---|--|----|----|---------------------|
| L28 | 219 | (recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L29 | 451 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L30 | 2 | "20070279657" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L31 | 278 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L32 | 4 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color near2 level | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L33 | 241 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) near4 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L34 | 14 | "6650773" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L35 | 20883 | (row and column) with (array matrix matrice) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L36 | 2241 | (row and column) with (array matrix matrice) with bit and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|-----|------|---|--|----|----|---------------------|
| L37 | 32 | (decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L38 | 69 | (decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L39 | 240 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L40 | 18 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L41 | 39 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L42 | 2037 | (matrix matrice) near5 (correspond\$3 respect\$3) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L43 | 1215 | (matrix matrice) near5 (correspond\$3 respect\$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L44 | 26 | (matrix matrice) near5 (correspond\$3 respect\$3) near4 bit and half\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L45 | 6347 | (matrix matrice pattern) near5 (correspond\$3 respect\$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L46 | 1856 | (matrix matrice pattern) near5 (correspond\$3 respect\$3) near4 bit and (noise artifact) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|-----|-----|--|--|----|----|---------------------|
| L47 | 2 | "20040085591" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L48 | 292 | (recombin\$3 restor\$3) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L49 | 81 | (recombin\$3 restor\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L50 | 2 | "20070279656" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L51 | 219 | (recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L52 | 451 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L53 | 2 | "20070279657" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L54 | 278 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L55 | 4 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color near2 level | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|-----|-------|--|--|----|----|---------------------|
| L56 | 241 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near\$3 color and (reduc\$3 decreas\$3) near\$4 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L57 | 14 | "6650773" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L58 | 20883 | (row and column) with (array matrix matrice) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L59 | 2241 | (row and column) with (array matrix matrice) with bit and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L60 | 32 | (decreas\$3 reduc\$3) near\$4 bit with (row and column) near\$5 (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L61 | 69 | (decreas\$3 reduc\$3) near\$4 bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L62 | 240 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L63 | 18 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L64 | 39 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L65 | 2037 | (matrix matrice) near\$5 (correspond\$3 respect\$3) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|-----|------|--|--|----|----|---------------------|
| L66 | 1215 | (matrix matrice) near5 (correspond\$3 respect \$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L67 | 26 | (matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L68 | 6347 | (matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L69 | 1856 | (matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L70 | 2 | "20040085591" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L71 | 292 | (recombin\$3 restor\$3) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L72 | 81 | (recombin\$3 restor\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L73 | 2 | "20070279656" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L74 | 219 | (recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L75 | 451 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|-----|-------|--|--|----|----|---------------------|
| L76 | 2 | "20070279657" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L77 | 278 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L78 | 4 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color near2 level | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L79 | 241 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) near4 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L80 | 14 | "6650773" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L81 | 20883 | (row and column) with (array matrix matrice) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L82 | 2241 | (row and column) with (array matrix matrice) with bit and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L83 | 32 | (decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L84 | 69 | (decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|-----|--------|---|--|----|----|---------------------|
| L85 | 240 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L86 | 18 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L87 | 39 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L88 | 2037 | (matrix matrice) near5 (correspond\$3 respect \$3) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L89 | 1215 | (matrix matrice) near5 (correspond\$3 respect \$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L90 | 26 | (matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and halfton\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L91 | 6347 | (matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L92 | 1856 | (matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L93 | 124007 | (restor\$3 recover\$3 reconstruct\$3) with (color image) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L94 | 1001 | (restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|------|-----|--|--|----|----|---------------------|
| L95 | 2 | (restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image) and 358/3.26. ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L96 | 108 | (restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image) same (half ton \$3 pattern dither\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L97 | 7 | "7262879" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L98 | 5 | "7233414" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L99 | 2 | "20040085591" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L100 | 2 | "20040085591" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L101 | 292 | (recombin\$3 restor\$3) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L102 | 81 | (recombin\$3 restor\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L103 | 2 | "20070279656" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L104 | 219 | (recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|------|-------|---|--|----|----|---------------------|
| L105 | 451 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L106 | 2 | "20070279657" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L107 | 278 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L108 | 4 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color near2 level | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L109 | 241 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) near4 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L110 | 14 | "6650773" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L111 | 20883 | (row and column) with (array matrix matrice) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L112 | 2241 | (row and column) with (array matrix matrice) with bit and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L113 | 32 | (decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|------|------|---|--|----|----|---------------------|
| L114 | 69 | (decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L115 | 240 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L116 | 18 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L117 | 39 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L118 | 2037 | (matrix matrice) near5 (correspond\$3 respect \$3) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L119 | 1215 | (matrix matrice) near5 (correspond\$3 respect \$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L120 | 26 | (matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L121 | 6347 | (matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L122 | 1856 | (matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L123 | 2 | "20040085591" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|------|-----|--|--|----|----|---------------------|
| L124 | 292 | (recombin\$3 restor\$3) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L125 | 81 | (recombin\$3 restor\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L126 | 2 | "20070279656" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L127 | 219 | (recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L128 | 451 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L129 | 2 | "20070279657" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L130 | 278 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L131 | 4 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color near2 level | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L132 | 241 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) near4 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|------|-------|---|--|----|----|---------------------|
| L133 | 14 | "6650773" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L134 | 20883 | (row and column) with (array matrix matrice) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L135 | 2241 | (row and column) with (array matrix matrice) with bit and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L136 | 32 | (decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L137 | 69 | (decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L138 | 240 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L139 | 18 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L140 | 39 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L141 | 2037 | (matrix matrice) near5 (correspond\$3 respect \$3) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L142 | 1215 | (matrix matrice) near5 (correspond\$3 respect \$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|------|------|--|--|----|----|---------------------|
| L143 | 26 | (matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L144 | 6347 | (matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L145 | 1856 | (matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L146 | 2 | "20040085591" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L147 | 292 | (recombin\$3 restor\$3) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L148 | 81 | (recombin\$3 restor\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L149 | 2 | "20070279656" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L150 | 219 | (recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L151 | 451 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L152 | 2 | "20070279657" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|------|-------|---|--|----|----|---------------------|
| L153 | 278 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L154 | 4 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color near2 level | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L155 | 241 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) near4 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L156 | 14 | "6650773" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L157 | 20883 | (row and column) with (array matrix matrice) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L158 | 2241 | (row and column) with (array matrix matrice) with bit and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L159 | 32 | (decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L160 | 69 | (decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L161 | 240 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|------|------|---|--|----|----|---------------------|
| L162 | 18 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L163 | 39 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L164 | 2037 | (matrix matrice) near5 (correspond\$3 respect \$3) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L165 | 1215 | (matrix matrice) near5 (correspond\$3 respect \$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L166 | 26 | (matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half ton\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L167 | 6347 | (matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L168 | 1856 | (matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L169 | 2 | "20040085591" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L170 | 292 | (recombin\$3 restor\$3) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L171 | 81 | (recombin\$3 restor\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|------|-------|--|--|----|----|---------------------|
| L172 | 2 | "20070279656" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L173 | 219 | (recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L174 | 451 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L175 | 2 | "20070279657" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L176 | 278 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L177 | 4 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color near2 level | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L178 | 241 | (recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) near4 color | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L179 | 14 | "6650773" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L180 | 20883 | (row and column) with (array matrix matrice) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|------|------|---|--|----|----|---------------------|
| L181 | 2241 | (row and column) with (array matrix matrice) with bit and scan\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L182 | 32 | (decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L183 | 69 | (decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L184 | 240 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L185 | 18 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L186 | 39 | (decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L187 | 2037 | (matrix matrice) near5 (correspond\$3 respect \$3) with bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L188 | 1215 | (matrix matrice) near5 (correspond\$3 respect \$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L189 | 26 | (matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L190 | 6347 | (matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

| | | | | | | |
|------|--------|--|--|----|----|---------------------|
| L191 | 1856 | (matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L192 | 124007 | (restor\$3 recover\$3 reconstruct\$3) with (color image) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L193 | 1001 | (restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L194 | 2 | (restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image) and 358/3.26. ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L195 | 108 | (restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image) same (half-ton \$3 pattern dither\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L196 | 7 | "7262879" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L197 | 5 | "7233414" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |
| L198 | 2 | "20040085591" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/01 18:25 |

4/ 1/ 2011 6:47:26 PM

C:\Documents and Settings\qvo1\My Documents\EAST\Workspaces\10695327.wsp